

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 1

Compilation date: 06.12.2020

Revision No: 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** NANOLEX MICROFIBER WASH

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC35: Washing and cleaning products (including solvent based products).

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Infinitec GmbH  
Matzenberg 171  
Saarbrücken  
D-66115  
Germany

**Tel:** +4968198 800306

**Email:** [a.neuner@infinitec-gmbh.de](mailto:a.neuner@infinitec-gmbh.de)

**1.4. Emergency telephone number**

**Emergency tel:** Medical Emergency information in case of poisoning: Poison Information Center Mainz -  
24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** Eye Dam. 1: H318

**Most important adverse effects:** Causes serious eye damage.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** H318: Causes serious eye damage.

**Hazard pictograms:** GHS05: Corrosion



**Signal words:** Danger

**Precautionary statements:** P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call POISON CENTER/doctor.

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 2

**2.3. Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

ALCOHOL, C13, ETHOXYLATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	9043-30-5	-	Acute Tox. 4: H302; Eye Dam. 1: H318; Acute Tox. 4: H302+H312; Acute Tox. 4: H302+H312+H332; Acute Tox. 4: H302+H332; Acute Tox. 4: H312; Acute Tox. 4: H312+H332; Acute Tox. 4: H332	1-10%

B-ALANIN, N-(2-AMINOETHYL)-N-(2-HYDROXYETHYL)-,N-KOKOS-ACYLDERIVATE, MNS

-	93820-52-1	-	Eye Irrit. 2: H319	1-10%
---	------------	---	--------------------	-------

COCAMIDOPROPYL BETAINE

-	61789-40-0	-	Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 3: H412	1-10%
---	------------	---	--	-------

KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID

263-016-9	61788-90-7	-	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411; Aquatic Acute 1: H400	<1%
-----------	------------	---	---	-----

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 3

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**7.3. Specific end use(s)**

**Specific end use(s):** No data available.

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 4

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Workplace exposure limits:** No data available.

**DNEL/PNEC Values**

**Hazardous ingredients:**

**KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID**

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	15,5	Workers	Systemic
DNEL	Dermal	11 mg/kg	Workers	Systemic
DNEL	Inhalation	3,8	Consumers	Systemic
DNEL	Dermal	5,5 mg/kg	Consumers	Systemic
DNEL	Oral	0,44	Consumers	Systemic
PNEC	Fresh water	0,0335 mg/ml	-	-
PNEC	Marine water	0,00335 mg/ml	-	-
PNEC	Microorganisms in sewage treatment	24 mg/ml	-	-
PNEC	Fresh water sediments	1,14 mg/kg	-	-
PNEC	Marine sediments	0,114 mg/kg	-	-
PNEC	Soil (agricultural)	0,906 mg/kg	-	-
PNEC	Food chain	11,1 mg/kg	-	-

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Colour:** Pale yellow

**Odour:** Barely perceptible odour

**Flash point°C:** >93

**9.2. Other information**

**Other information:** No data available.

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 5

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.  
Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**ALCOHOL, C13, ETHOXYLATED**

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	556	mg/kg

**B-ALANIN, N-(2-AMINOETHYL)-N-(2-HYDROXYETHYL)-,N-KOKOS-ACYLDERIVATE, MNS**

ORAL	RAT	LD50	2000	mg/kg
------	-----	------	------	-------

**COCAMIDOPROPYL BETAINE**

DERMAL	RBT	LD50	>2000	mg/kg
ORAL	RAT	LD50	2335	mg/kg

**KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID**

DERMAL	RBT	LD50	300-2000	mg/kg
ORAL	RAT	LD50	2000	mg/kg

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 6

**Relevant hazards for product:**

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

**Excluded hazards for substance:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	-	No hazard: calculated
Acute toxicity (ac. tox. 3)	-	No hazard: calculated
Acute toxicity (ac. tox. 2)	-	No hazard: calculated
Acute toxicity (ac. tox. 1)	-	No hazard: calculated
Skin corrosion/irritation	-	No hazard: calculated
Respiratory/skin sensitisation	-	No hazard: calculated
Germ cell mutagenicity	-	No hazard: calculated
Carcinogenicity	-	No hazard: calculated
Reproductive toxicity	-	No hazard: calculated
STOT-single exposure	-	No hazard: calculated
STOT-repeated exposure	-	No hazard: calculated
Aspiration hazard	-	No hazard: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**ALCOHOL, C13, ETHOXYLATED**

Daphnia magna	48H EC50	>1-10	mg/l
FISH	96H LC50	>1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	>1-10	mg/l

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 7

**COCAMIDOPROPYL BETAINE**

FISH	96H LC50	472-500	mg/l
------	----------	---------	------

**KOKOSALKYL(FRAKTIONIERT)DIMETHYLAMINOXID**

Daphnia magna	48H EC50	1-10	mg/l
FISH	96H LC50	1-10	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	0,1-1	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** Not applicable.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

[cont...]

**SAFETY DATA SHEET**  
NANOLEX MICROFIBER WASH

Page: 8

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** H302: Harmful if swallowed.  
H302+H312: Harmful if swallowed or in contact with skin  
H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled  
H302+H332: Harmful if swallowed or if inhaled  
H312: Harmful in contact with skin.  
H312+H332: Harmful in contact with skin or if inhaled  
H315: Causes skin irritation.  
H318: Causes serious eye damage.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.  
H400: Very toxic to aquatic life.  
H411: Toxic to aquatic life with long lasting effects.  
H412: Harmful to aquatic life with long lasting effects.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.