NANOLEX SI3D

Page: 1 Compilation date: 06.11.2020

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NANOLEX SI3D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers.

1.3. Details of the supplier of the safety data sheet

Company name:	Infinitec GmbH
---------------	----------------

Matzenberg 171 Saarbrücken D-66115 Germany Tel: +4968198 800306

Email: a.neuner@infinitec-gmbh.de

1.4. Emergency telephone number

Emergency tel: Medical Emergency information in case of poisoning: Poison Information Center Mainz -24h - Phone: +49 (0) 6131 19240 (advisory service in German or English language)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP:	Aquatic Chronic 3: H412; Skin Corr. 1B: H314; STOT SE 3: H336; Flam. Liq. 3: H226;
	Flam. Liq. 2: H225; Acute Tox. 4: H302
Most important adverse effects:	Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting
	effects. Highly flammable liquid and vapour. Harmful if swallowed. May cause
	drowsiness or dizziness.

2.2. Label elements

Label elements:

Hazard statements:	H314: Causes severe skin burns and eye damage.
	H412: Harmful to aquatic life with long lasting effects.
	H225: Highly flammable liquid and vapour.
	H302: Harmful if swallowed.
	H336: May cause drowsiness or dizziness.
Hazard pictograms:	GHS02: Flame
	GHS05: Corrosion
	GHS07: Exclamation mark



NANOLEX SI3D

Signal words:	Danger
Precautionary statements:	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking.
	P241: Use explosion-proof electrical/ventilating/lighting equipment.
	P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.
	Rinse skin with water.
	P240: Ground and bond container and receiving equipment.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310: Immediately call POISON CENTER/doctor.
	P370+P378: In case of fire: Use media other than water to extinguish.
2.3. Other hazards	

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DI-N-BUTYL ETHER

EINECS	CAS	PBT / WEL	CLP Classification	Percent
205-575-3	142-96-1	-	Flam. Liq. 3: H226; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315;	30-50%
			Aquatic Chronic 3: H412	

DECAMETHYLCYCLOPENTASILOXANE

	CICLOPENIAS	BILOXANE		
-	541-02-6	-	Aquatic Chronic 4: H413	10-30%
ORGANOPOLI	SILAZANE			
-	475645-84-2	-	Flam. Liq. 2: H225; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 3: H412; Acute Tox. 4: H302+H312; Acute Tox. 4: H302+H312+H332; Acute Tox. 4: H302+H332; Acute Tox. 4: H312; Acute Tox. 4: H312+H332; Acute Tox. 4: H332	10-30%

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Page: 2

NANOLEX SI3D

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises. A decontamination shower should be available on the premises. Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

NANOLEX SI3D

disposal by an appropriate method. Do not use equipment in clean-up procedure which

may produce sparks.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. Ensure lighting and electrical
	equipment are not a source of ignition.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.
Skin protection:	Protective clothing.
Environmental:	The floor of the storage room must be impermeable to prevent the escape of liquids.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: Colourless Odour: Characteristic odour Flash point°C: 31

NANOLEX SI3D

Page: 5

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DI-N-BUTYL ETHER

IVN	MUS	LDLO	258	mg/kg
ORL	RAT	LD50	7400	mg/kg

DECAMETHYLCYCLOPENTASILOXANE

DERMAL	RBT	LD50	2000	mg/kg
ORAL	RAT	LD50	5000	mg/kg
VAPOURS	RAT	4H LC50	8,67	mg/l

ORGANOPOLISILAZANE

DERMAL	RBT	4H LC50	300-2000	mg/kg
ORAL	RAT	LD50	300-2000	mg/kg

NANOLEX SI3D

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ORGANOPOLISILAZANE

ZEBRAFISH (Brachydanio rerio)	96H LC50	57,1	mg/l
-------------------------------	----------	------	------

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste	treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

NANOLEX SI3D

Page: 7

Sect

		Pa	
Section 14: Transport inform	nation		
14.1. UN number			
UN number:	UN2924		
14.2. UN proper shipping nar	ne		
Shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S.		
	(DI-N-BUTYL ETHER; ORGANOPOLISILAZAN; LOW BOILING POINT HYDROGEN		
	TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDROTREATED HEAVY;		
	DECAMETHYLCYCLOPENTASILOXANE)		
14.3. Transport hazard class			
14.5. Transport nazaru ciassi			
Transport class:	3 (8)		
14.4. Packing group			
Packing group:	II		
14.5. Environmental hazards			
Environmentally hazardous:	No Marine pollutant: No		
14.6. Special precautions for	user		
Special precautions:	No special precautions.		
Tunnel code:			
Transport category:	2		
Section 15: Regulatory infor	mation		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			
Specific regulations:			
15.2. Chemical Safety Assess			
-			
Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the mixtur	е	
	by the supplier.		
Section 16: Other informatio	n		
Other information			
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No)	
	2015/830.		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	H225: Highly flammable liquid and vapour.		

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H302+H312: Harmful if swallowed or in contact with skin

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled

NANOLEX SI3D

Page: 8

H302+H332: Harmful if swallowed or if inhaled
H312: Harmful in contact with skin.
H312+H332: Harmful in contact with skin or if inhaled
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H319: Causes serious eye irritation.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H412: Harmful to aquatic life with long lasting effects.
H413: May cause long lasting harmful effects to aquatic life.
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.